


STEP-A	1000
 DIA 70x70 mm. H 18.6 mm.	
LED COB 1.5W 90Im 3000K Matt white	<b>IP 20</b>
Recessed type Aluminium cover Driver included Non-Dim	







ō

**STEP LIGHT** 



STEP-D	1500
DIA 86 mm. H 38 mm.	
LED COB 3W 190lm 3000K Matt white/ Matt black	IP 54
Recessed type Aluminium cover Driver included Non-Dim	





STEP-F	1500
DIA 87x87 mm. H 55 mm.	
LED COB 3W 190Im 3000K Matt white/ Matt black	IP 54
Recessed type Aluminium cover Driver included Non-Dim	

STEP LIGHT



STEP-G	1500
DIA 87x87 mm. H 55 mm.	
LED COB 3W 190lm 120° 3000K Matt white	IP 54
Recessed type Aluminium cover Driver included Non-Dim	





STEP-L	1000
DIA 75x165 mm. H 43 mm.	
LED COB 5W 3550lm 3000K Matt white	<b>IP 20</b>
Recessed type Aluminium cover Driver included Non-Dim	

STEP LIGHT




C	CLC	UDY-R	1800
		DIA: 48 mm. H: 30 mm.	
	Ū	LED COB 1W 80lm (20)° 3000K Milky acrylic cover	IP 20
	0	Recessed type Acrylic cover Driver included Non-Dim	

	SHADOW-R	1800
	DIA 48 mm. H 33 mm.	
	LED COB 1W 80lm (12)° 3000K Matt white cover	IP 20
0	Recessed type Aluminium cover Driver included Non-Dim	



**STEP LIGHT** 

\_





C	CUBE-1	1800
	DIA 60x60 mm. H 70 mm.	
	LED COB 1W 70Im 3000K Matt white/ Matt black	<b>IP 20</b>
	Aluminium body Driver included Non-Dim	

(	CUBE-2	2000
	DIA 60x60 mm. H 100 mm.	
	LED COB 2x1W 140lm 3000K Matt white/ Matt black	IP 20
0	Aluminium body Driver included Non-Dim	





C	ΟΖΥ	1500
	DIA 89x90 mm. D 32 mm.	
	LED COB 2x1W 140lm 3000K Sand white/ Sand blac	<b>IP 20</b>
C	Aluminium body Driver included Non-Dim	







FLA	Т-1	2000
	DIA 100x100 mm. H 35 mm.	
	LED COB 3W 120Im 3000K Matt white/ Matt black	IP 20
0	Aluminium body Driver included Non-Dim	







B	OXX-L	1350
_	DIA 60x90 mm. H 170 mm.	
	<ul> <li>GU10x2</li> <li>Sand white/ Sand black</li> </ul>	IP 20
_	Aluminium body	







LINER	2750
DIA 70x250 mm. D 80 mm.	
LED SMD 2x4W 800lm 3000K Matt white/ Matt black	IP 20
Aluminium body Driver included Non-Dim	











HEXTA-1	1800
DIA 110 mm. H 120 mm.	
<ul> <li>GU10x1</li> <li>Sand white/ Sand black</li> </ul>	<b>IP 20</b>
Aluminium body	







COLON-R1	1500
DIA 60 mm. H 110 mm.	
<ul> <li>GU10x1</li> <li>Sand white/ Sand black</li> </ul>	IP 20
Aluminium body	







S	UMMER-R1	4000
	DIA 150 mm. D 160 mm.	
_	LED COB 3W 230Im 3000K Matt white/ Matt blac	<b>IP 20</b>
_	Aluminium body Driver included Non-Dim	

SUMMER-R2	4500
DIA 150 mm. D 160 mm.	
LED COB 2x3W 460lm 3000K Matt white/ Matt black	<b>IP 20</b>
Aluminium body Driver included Non-Dim	







SO	FT	3500
I	DIA 162 mm. D 55 mm.	
	LED SMD 4W Im 3000K Matt white/ Matt black	IP 20
	Aluminium body Driver included Non-Dim	























		YN-R1	1150
		DIA 90 mm. H 133 mm.	
		1x GU10 MAX. 50W	
		Black / Grey	
	-	Aluminium body	
		Clear glass cover	
	90		
ALYN-R2	1350		
DIA 90 mm. H 166 mm. 2x GU10 MAX. 50W IP 65			
<ul> <li>Black / Grey</li> <li>Aluminium body</li> <li>Clear glass cover</li> </ul>			
	90		
















WALL LIGHT








MABEL-R4 2	2250
DIA 120 mm. D 90 mm.	
ED 4x1W         ■         3000K         IP 54	
<ul> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> </ul>	
90 120 120	







TALA-S2	2400
DIA 60x30 mm. D 85 mm.	
LED 2x1W 2x85lm 3000K IP 65	
Black LED Driver Included Aluminium body	
	30



X




































Aluminium body PC diffuser

WALL LIGHT







WALL LIGHT































PC diffuser

























MAKI-R2	1650
DIA 90 mm. H 212 mm.	
2x GU10 MAX. 50W IP 54	
<ul> <li>Black</li> <li>Aluminium body</li> <li>PC diffuser</li> </ul>	
PC diffuser	





MAKI-S2	1650
DIA 85×85 mm. H 212 mm.	
2x GU10 MAX. 50W          IP 54	
<ul> <li>Black</li> <li>Aluminium body</li> <li>PC diffuser</li> </ul>	








TOLL-R	2750
 DIA 160x276 mm. D 215 mr	n.
1x E27 MAX. LED 13W	
Black/ White Aluminium body PC diffuser	


## TOLL-S2750.-DIA 145x145x276 mm. D 215 mm.Ix E27 MAX. LED 13WIP 54Black<br/>Aluminium body<br/>PC diffuser













GALLY-R	1000
DIA 110 mm. D 26 mm	l
ED 2W 120Im         ■         3000K         ■         3000K         ■         ■         ■	IP 54
Surface mounted type Black/ Grey LED Driver Included Aluminium body	







STEP-R	1500
DIA 110 mm. D 25 mm.	
ED 4W 160Im         3000K         3000K         ■         3000K         300K         30K         30K         30K         30K         30K	IP 54
<ul> <li>Surface mounted type Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> </ul>	







MONA-R	1200
DIA 95 mm. D 18 mm.	
LED 3W 225Im 3000K	IP 65
<ul> <li>Surface mounted type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> </ul>	

MONA-S	1200
DIA 90x90 mm. D 18 mm.	
<b>LED 3W 225Im</b> □ 3000K	IP 65
<ul> <li>Surface mounted type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> </ul>	





HA	NA-A	1200
	DIA 125x125 mm. D 27 mm.	
	<b>LED 3W 250lm</b> 3000K	IP 54
C	Surface mounted type Dark grey LED Driver Included ABS body	

HANA-B	1200
DIA 125x125 mm. D 27 mm.	
<ul> <li>☐ LED 1.5W 145Im</li> <li>☐ 3000K</li> </ul>	IP 54
<ul> <li>Surface mounted type</li> <li>Dark grey</li> <li>LED Driver Included</li> <li>ABS body</li> </ul>	




\_



HANA-C	1200
DIA 80x230 mm. D 27 mm.	
LED 1W 85Im 3000K	IP 54
<ul> <li>Surface mounted type</li> <li>Dark grey</li> <li>LED Driver Included</li> <li>ABS body</li> </ul>	

HANA-D	1800
DIA 230x80 mm. D 27 mm.	
💼 LED 3W 180lm	
😇 🛑 зооок	IP 54
<ul> <li>Surface mounted type</li> <li>Dark grey</li> <li>LED Driver Included</li> <li>ABS body</li> </ul>	







ST	EP-OA	1200
	DIA 110x110 mm. D 100 mm.	
Ū	G4x1 Max. 50W Sand black	IP 55
0	Recessed type Black Frosted glass cover Aluminium body Box installation included	










	STEP-OD	1500
	DIA 86 mm. D 55 mm.	
		IP 54
	<ul> <li>Recessed type Black LED Driver Included Aluminium body Box installation included</li> </ul>	
STEP-OE	1500	
DIA 87x87 mm. D 55 mm.		
ED 3W 190Im	P 54	
<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>		



STE	P-OK	1500
	DIA 72x147 mm. D 55 mm.	
	<b>LED 3W 200Im</b> 3000K	IP 65
C	Recessed type Black LED Driver Included Aluminium body Box installation included	

STEP-OL	1500	
DIA 75x170 mm. D 53 mm.		
<b>DED 5W 370Im</b> □ 3000K	<b>IP 65</b>	
<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>		0






0

STEP-OM	1000
DIA 65 mm. D 50 mm.	
LED 3W 115Im 3000K	IP 65
<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>	

## STEP-ON 1000. DIA 65 mm. D 50 mm. LED 3W 185lm 3000K Recessed type Black LED Driver Included Aluminium body Box installation included





**STEP LIGHT** 




Recessed type Black LED Driver Included Aluminium body Box installation included




2000.-

IP 65

STEP LIGHT







STEP LIGHT



F	REEN	1000
	DIA 85x85 mm. D 53 mm.	
	LED 2W 200lm 3000K	IP 65
	<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>	

HASSEL	2000
DIA 50x130 mm. D 60 mm.	
LED 5W 350lm 3000K	IP 65
<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>	






SHAY	1200
DIA 44x100 mm. D 44 mm.	
LED 2W 175Im 3000K	IP 65
<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>	







GAL	.LY-R	1000
	DIA 110 mm. D 26 mm.	
	LED 2W 120lm 3000K	IP 54
0	Surface mounted type Black/ Grey LED Driver Included Aluminium body	






STEP LIGHT



S	1500
	n.
_	IP 54
_	e







٨	101	NA-R	1200
		DIA 95 mm. D 18 mm.	
	Ū	LED 3W 225Im 3000K	<b>IP 65</b>
	0	Surface mounted type Black LED Driver Included Aluminium body	

MONA-S	1200
DIA 90x90 mm. D 18 mm.	
LED 3W 225Im 3000K	IP 65
<ul> <li>Surface mounted type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> </ul>	



\_



HANA-A		1200
	DIA 125x125 mm. D 27 mm.	
	LED 3W 250lm 3000K	IP 54
	<ul> <li>Surface mounted type</li> <li>Dark grey</li> <li>LED Driver Included</li> <li>ABS body</li> </ul>	

HANA-B	1200
DIA 125x125 mm. D 27 mm.	
LED 1.5W 145Im 3000K	IP 54
<ul> <li>Surface mounted type</li> <li>Dark grey</li> <li>LED Driver Included</li> <li>ABS body</li> </ul>	




\_





JE	INNY	2000
_	DIA 115x115 mm. D 60 mm.	
	LED 2x2W 2001m 3000K	IP 65
	Recessed type Black LED Driver Included Aluminium body Box installation included	












ARINA-A	2000
DIA 82x192 D 94 mm.	
 LED 10W 650Im 3000K	IP 65
Recessed type Black LED Driver Included Aluminium body Box installation included	

ARINA-B	2000
DIA 82x192 mm. D 101 mm.	
LED 10W 650lm 3000K	IP 65
<ul> <li>Recessed type</li> <li>Black</li> <li>LED Driver Included</li> <li>Aluminium body</li> <li>Box installation included</li> </ul>	



\_

## **BED SIDE LAMP**

GIMBAL	3000
DIA 110 mm. D 60 mm.	
<ul> <li>LED COB 3W 120Im</li> <li>3000K Matt black/ Matt white</li> <li>350 Degree rotatable Recessed type Built-in Switch on-off Aluminium Body Driver included Non-Dim</li> </ul>	IP 20

LEDTUBE	3500
Head 30x110 mm. Base 75x180 mm	า.

LED COB 3W 120Im 3000K Matt black/ Chrome



Recessed type Built-in Switch on-off Aluminium Body Driver included Non-Dim



**BED SIDE LAMP** 



## READY-S 1200. Head 19x77 mm. Base 64xH29 mm. LED COB 3W 120Im 3000K Matt black/ Matt white

Surface type Built-in Switch on-off Aluminium Body Driver included Non-Dim



**BED SIDE LAMP** 







**BED SIDE LAMP** 



		AN	NY	3500
-			Head 35x60 mm. Base 60	mm.
			3000K	IP 20
		C	Surface type Built-in Switch on-off Aluminium Body Driver included Non-Dim	
	VISTA	1800.		
	Head 45x120 mm. Base 39x150x	H39 mm.	2	
Ū	LED COB 3W 120Im 3000K Matt black/ Matt white	<b>IP 20</b>		
0	Surface type Built-in Switch on-off Aluminium Body Driver included Non-Dim		۲	
		VEN	10	3500
			Head 30x100 mm. Base 59	x172x35 mm.
			LED COB 3W 120Im 3000K Matt black/ Matt whi	<b>IP 20</b>
		0	Recessed type Built-in Switch on-off Aluminium Body	



Aluminium Body Driver included Non-Dim



LEDPOP	4250
DIA 80x210 mm. H 72.5 mm.	
LED COB 3W 120lm 3000K Matt black/ Chrome	IP 20
Recessed type Built-in Switch on-off Aluminium Body Driver included Non-Dim	





LE	EDDY	2350
	Head 29x110 mm. Base 81xH	36 mm.
	LED COB 3W 120lm 3000K Matt black/ Matt white	IP 20
_	Surface type Built-in Switch on-off Aluminium Body Driver included Non-Dim	

Surface

	LEDCAN	3000
	Head 60x95 mm. Base 90xH23	mm.
	GU10x1 Matt white/ Matt black	<b>IP 20</b>
0	Surface type Built-in Switch on-off Aluminium Body Driver included	

Non-Dim





DIP	0	4000
	Head 29x110 mm. Base 140x	240 mm.
	LED COB 3W + 3W 120Im 3000K Matt black/ Matt white	IP 20
C	Recessed type Built-in Switch on-off Aluminium Body Driver included Non-Dim	

	LEMON	4000
	Head 29x110 mm. Base 170x8	31x40 mm.
Ū	LED COB 3W + 3W 120Im 3000K Matt black/ Matt white	<b>IP 20</b>
	Surface type Built-in Switch on-off Aluminium Body Driver included Non-Dim	



PABLO	1800
LED COB 3W 180Im 3000K Matt black/ Matt white Recessed type Built-in Switch on-off Aluminium Body Driver included Non-Dim	<b>IP 20</b>





	LAZO	3500
_	Head 24x84 mm. Base 53x16	0x50 mm.
	LED COB 3W 120Im 3000K Matt black/ Matt white	IP 20
	Surface type Built-in Switch on-off Aluminium Body Driver included Non-Dim	





